



O-RING STANDARD | OS





INFORMACIÓN TÉCNICA

MATERIAL	Nitrilo(NBR), VITON®(FKM), Silicona(VMQ),
RANGO DE PRESION	
VELOCIDAD	

TABLA DE MEDIDAS



Dinámico,
Rotático



Estático

CÓDIGO	SECCIÓN	D.I.	D.E.
OS-001	1,02	0,74	2,78
OS-002	1,27	1,07	3,61
OS-003	1,52	1,42	4,46
OS-004	1,78	1,78	5,34
OS-005	1,78	2,57	6,13
OS-006	1,78	2,90	6,46
OS-007	1,78	3,68	7,24
OS-008	1,78	4,47	8,03
OS-009	1,78	5,28	8,84
OS-010	1,78	6,07	9,63
OS-011	1,78	7,65	11,21
OS-012	1,78	9,25	12,81
OS-013	1,78	10,82	14,38
OS-014	1,78	12,42	15,98
OS-015	1,78	14,00	17,56
OS-016	1,78	15,60	19,16
OS-017	1,78	17,17	20,73
OS-018	1,78	18,77	22,33
OS-019	1,78	20,35	23,91
OS-020	1,78	21,95	25,51
OS-021	1,78	23,52	27,08
OS-022	1,78	25,12	28,68
OS-023	1,78	26,70	30,26
OS-024	1,78	28,30	31,86
OS-025	1,78	29,87	33,43
OS-026	1,78	31,47	35,03
OS-027	1,78	33,05	36,61
OS-028	1,78	34,65	38,21
OS-029	1,78	37,82	41,38
OS-030	1,78	41,00	44,56
OS-031	1,78	44,17	47,73
OS-032	1,78	47,35	50,91
OS-033	1,78	50,52	54,08
OS-034	1,78	53,70	57,26
OS-035	1,78	56,87	60,43
OS-036	1,78	60,05	63,61
OS-037	1,78	63,22	66,78
OS-038	1,78	66,40	69,96
OS-039	1,78	69,57	73,13
OS-040	1,78	72,75	76,31
OS-041	1,78	75,92	79,48
OS-042	1,78	82,27	85,83
OS-043	1,78	88,62	92,18
OS-044	1,78	94,97	98,53
OS-045	1,78	101,32	104,88
OS-046	1,78	107,67	111,23
OS-047	1,78	114,02	117,58
OS-048	1,78	120,37	123,93
OS-049	1,78	126,72	130,28
OS-050	1,78	133,07	136,63
OS-102	2,62	1,24	6,48
OS-103	2,62	2,06	7,30
OS-104	2,62	2,84	8,08
OS-105	2,62	3,63	8,87
OS-106	2,62	4,42	9,66
OS-107	2,62	5,23	10,47
OS-108	2,62	6,02	11,26
OS-109	2,62	7,59	12,83
OS-110	2,62	9,19	14,43
OS-111	2,62	10,77	16,01
OS-112	2,62	12,37	17,61
OS-113	2,62	13,94	19,18
OS-114	2,62	15,54	20,78
OS-115	2,62	17,12	22,36

CÓDIGO	SECCIÓN	D.I.	D.E.
OS-116	2,62	18,72	23,96
OS-117	2,62	20,30	25,54
OS-118	2,62	21,89	27,13
OS-119	2,62	23,47	28,71
OS-120	2,52	25,27	30,31
OS-121	2,62	26,64	31,88
OS-122	2,62	28,24	33,48
OS-123	2,62	29,82	35,06
OS-124	2,62	31,42	36,66
OS-125	2,62	32,99	38,23
OS-126	2,62	34,59	39,83
OS-127	2,62	36,17	41,41
OS-128	2,62	37,77	43,01
OS-129	2,62	39,34	44,58
OS-130	2,62	40,94	46,18
OS-131	2,62	42,52	47,76
OS-132	2,62	44,12	49,36
OS-133	2,62	45,69	50,93
OS-134	2,62	47,29	52,53
OS-135	2,62	48,90	54,14
OS-136	2,62	50,47	55,71
OS-137	2,62	52,07	57,31
OS-138	2,62	53,64	58,88
OS-139	2,62	55,25	60,49
OS-140	2,62	56,82	62,06
OS-141	2,62	58,42	63,66
OS-142	2,62	59,99	65,23
OS-143	2,62	61,60	66,84
OS-144	2,62	63,17	68,41
OS-145	2,62	64,77	70,01
OS-146	2,62	66,34	71,58
OS-147	2,62	67,95	73,19
OS-148	2,62	69,52	74,76
OS-149	2,62	71,12	76,36
OS-150	2,62	72,69	77,93
OS-151	2,62	75,87	81,11
OS-152	2,62	82,22	87,46
OS-153	2,62	88,57	93,81
OS-154	2,62	94,92	100,16
OS-155	2,62	101,27	106,51
OS-156	2,62	107,62	112,86
OS-157	2,62	113,97	119,21
OS-158	2,62	120,32	125,56
OS-159	2,62	126,67	131,91
OS-160	2,62	133,02	138,26
OS-161	2,62	139,37	144,61
OS-162	2,62	145,72	150,96
OS-163	2,62	152,07	157,31
OS-164	2,62	158,42	163,66
OS-165	2,62	164,77	170,01
OS-166	2,62	171,12	176,36
OS-167	2,62	177,47	182,71
OS-168	2,62	183,82	189,06
OS-169	2,62	190,17	195,41
OS-170	2,62	196,52	201,76
OS-171	2,62	202,87	208,11
OS-172	2,62	209,22	214,46
OS-173	2,62	215,57	220,81
OS-174	2,62	221,92	227,16
OS-175	2,62	228,27	233,51
OS-176	2,62	234,62	239,86
OS-177	2,62	240,97	246,21
OS-178	2,62	247,32	252,56
OS-201	3,53	4,34	11,40

CÓDIGO	SECCIÓN	D.I.	D.E.
OS-202	3,53	5,94	13,00
OS-203	3,53	7,52	14,58
OS-204	3,53	9,12	16,18
OS-205	3,53	10,69	17,75
OS-206	3,53	12,29	19,35
OS-207	3,53	13,87	20,93
OS-208	3,53	15,47	22,53
OS-209	3,53	17,04	24,10
OS-210	3,53	18,64	25,70
OS-211	3,53	20,22	27,28
OS-212	3,53	21,82	28,88
OS-213	3,53	23,39	30,45
OS-214	3,53	24,99	32,05
OS-215	3,53	26,57	33,63
OS-216	3,53	28,17	35,23
OS-217	3,53	29,74	36,80
OS-218	3,53	31,34	38,40
OS-219	3,53	32,92	39,98
OS-220	3,53	34,52	41,58
OS-221	3,53	36,09	43,15
OS-222	3,53	37,69	44,75
OS-223	3,53	40,87	47,93
OS-224	3,53	44,04	51,10
OS-225	3,53	47,22	54,28
OS-226	3,53	50,39	57,45
OS-227	3,53	53,57	60,63
OS-228	3,53	56,74	63,80
OS-229	3,53	59,92	66,98
OS-230	3,53	63,09	70,15
OS-231	3,53	66,27	73,33
OS-232	3,53	69,44	76,50
OS-233	3,53	72,62	79,68
OS-234	3,53	75,79	82,85
OS-235	3,53	78,97	86,03
OS-236	3,53	82,14	89,20
OS-237	3,53	85,32	92,38
OS-238	3,53	88,49	95,55
OS-239	3,53	91,67	98,73
OS-240	3,53	94,84	101,90
OS-241	3,53	98,02	105,08
OS-242	3,53	101,19	108,25
OS-243	3,53	104,37	111,43
OS-244	3,53	107,54	114,60
OS-245	3,53	110,72	117,78
OS-246	3,53	113,89	120,95
OS-247	3,53	117,07	124,13
OS-248	3,53	120,24	127,30
OS-249	3,53	123,42	130,48
OS-250	3,53	126,59	133,65
OS-251	3,53	129,77	136,83
OS-252	3,53	132,94	140,00
OS-253	3,53	136,12	143,18
OS-254	3,53	139,29	146,35
OS-255	3,53	142,47	149,53
OS-256	3,53	145,64	152,70
OS-257	3,53	148,82	155,88
OS-258	3,53	151,99	159,05
OS-259	3,53	158,34	165,40
OS-260	3,53	164,69	171,75
OS-261	3,53	171,04	178,10
OS-262	3,53	177,39	184,45
OS-263	3,53	183,74	190,80
OS-264	3,53	190,09	197,15
OS-265	3,53	196,44	203,50

CÓDIGO	SECCIÓN	D.I.	D.E.
OS-266	3,53	202,79	209,85
OS-267	3,53	209,14	216,20
OS-268	3,53	215,49	222,55
OS-269	3,53	221,84	228,90
OS-270	3,53	228,19	235,25
OS-271	3,53	234,54	241,60
OS-272	3,53	240,89	247,95
OS-273	3,53	247,24	254,30
OS-274	3,53	253,59	260,65
OS-275	3,53	266,29	273,35
OS-276	3,53	278,99	286,05
OS-277	3,53	291,69	298,75
OS-278	3,53	304,39	311,45
OS-279	3,53	329,79	336,85
OS-280	3,53	355,19	362,25
OS-281	3,53	380,59	387,65
OS-282	3,53	405,26	412,32
OS-283	3,53	430,66	437,72
OS-284	3,53	456,06	463,12
OS-309	5,33	10,46	21,12
OS-310	5,33	12,07	22,73
OS-311	5,33	13,64	24,30
OS-312	5,33	15,24	25,90
OS-313	5,33	16,81	27,47
OS-314	5,33	18,42	29,08
OS-315	5,33	19,99	30,65
OS-316	5,33	21,59	32,25
OS-317	5,33	23,16	33,82
OS-318	5,33	24,77	35,43
OS-319	5,33	26,34	37,00
OS-320	5,33	27,94	38,60
OS-321	5,33	29,51	40,17
OS-322	5,33	31,12	41,78
OS-323	5,33	32,69	43,35
OS-324	5,33	34,29	44,95
OS-325	5,33	37,47	48,13
OS-326	5,33	40,64	51,30
OS-327	5,33	43,82	54,48
OS-328	5,33	46,99	57,65
OS-329	5,33	50,17	60,83
OS-330	5,33	53,34	64,00
OS-331	5,33	56,52	67,18
OS-332	5,33	59,69	70,35
OS-333	5,33	62,87	73,53
OS-334	5,33	66,04	76,70
OS-335	5,33	69,22	79,88
OS-336	5,33	72,39	83,05
OS-337	5,33	75,57	86,23
OS-338	5,33	78,74	89,40
OS-339	5,33	81,92	92,58
OS-340	5,33	85,09	95,75
OS-341	5,33	88,27	98,93
OS-342	5,33	91,44	102,10
OS-343	5,33	94,62	105,28
OS-344	5,33	97,79	108,45
OS-345	5,33	100,97	111,63
OS-346	5,33	104,14	114,80
OS-347	5,33	107,32	117,98
OS-348	5,33	110,49	121,15
OS-349	5,33	113,67	124,33
OS-350	5,33	116,84	127,50
OS-351	5,33	120,02	130,68
OS-352	5,33	123,19	133,85
OS-353	5,33	126,37	137,03

